

Tender No: 110230/JPK/GAIL/11-R1

Dated – 27.08.2009

Sr. No.	Section / Clause No.	Tender Doc. Page No.	Clause Description	Bidder's Query	Reply / Clarifications
1	Vol II. Clause no. 2.1,(iv)	Page 4 of 43	All the data pertaining to configuration, cross-connection...shall enable for FCAPS Management functions of the equipment from NIMS and LCT	As per the tender FCAPS management function shall be available at NMS and LCT. Whereas FCAPS management function is possible only at NMS locations.	Agreed.
2	Vol II. Clause no. 2.2, (b)	Page 6 of 43	The Explosion proof telephone, which shall be supplied & installed by vendor one no.at each location.	As per the tender Explosion proof telephone shall be supplied at each location and as per SOR quantity of Explosion proof telephone is two (2). Please provide the exact quantity to be supplied under this project.	Explosion proof telephone quantity is 5.
3	Volume II, Clause no. 10.5 (25)	Page 22 of 43	Good Quality Voice guide to give direction on suffix's and prefixes need to be dialed.	Good quality Voice guide to give direction on suffix's and prefixes need to be dialed This is a proprietary feature pertaining to a specific vendor. "This may be amended to Good quality Voice guide to give direction "	Tender Condition Prevails.
4	Volume II, Clause no. 10.5	Page 22 of 43	In built wake up alarm (using in built EPABX clock)	In built wake up alarm (using in built EPABX clock) This is a proprietary feature	Tender Condition Prevails.

	(27)			pertaining to a specific vendor.	
5	Volume II, Clause no. 10.7	Page 23 of 43	The PABX shall be equipped with integrated voice mail....	Considering the latest development this may be replaced by Unified Messaging (available with all leading IP PBX OEM). GAIL may opt for Voice/fax and email integration only. At the later stage presence, collaboration and instant messaging may be added which is very much useful for GAIL for future applications and requirement.	Tender Condition Prevails.
6	Volume II, Clause no. 10.12	Page 24 of 43	DIGITAL TELEPHONES	Considering all the specifications the digital phone may be considered for 4 line display. c). Hands free operation (which is Singlex Operation) may be replaced with Full duplex operation. Other wise the feature is of no use.	Tender Condition Prevails.
7	Vol II. Clause no. 10.13, (e)	Page 25 of 43	Number of analog subscriber line : At Chainsa: Equipped 150 expandable to 250	As per the tender, at Chainsa, EPABX shall be equipped with 150 lines and as per SOR	EPABX with 150 lines expandable to 250 lines.

				EPABX shall be of 60 lines. Please clarify whether we need to supply EPABX with 60 or 150 lines.	
8	Volume II, Clause no. 11.13	Page 34 of 43	TEST INSTRUMENTS 1.OTDR The size of the display shall be 10.4 inches minimum.	OTDR Display: the size of the display will be 10.4 inches minimum. The requirement of 10.4 inches is available only in high end model it is requested to kindly change it 6.4 inches screen which is very much acceptable in various pipeline projects and most of the pipeline customers are accepting the same	Tender Condition Prevails.